
J P Systems Capabilities

Our mission: to standardize, manage, and improve the interoperability and usability of data.





nebbobb], g., h.,a_. p >@c6 DA64:2=:K65 252A:7@C>D 5FC:?8 E96 t@46?6 Wde E@ bc >J2X @C !2=6@46?6 DFAA@CE65 3J 56DECF4E2CC2?86>6?E @7 E66E9[<?@H? 2D 2 E00E940>3] **@7 36:?8 E96 5:**C64E 2? **366?**4JE@49C@>6 3 86?6 2?5 E96 AC6D6?46 @7 E96 DEC6AD ?56C 2C6 EC25:E:0?2==J E90F89E F 4@?EC@==65 A9J=086?6E:4 DEF5:6D],a_. %96 =2E6C DA W=@C:D\=:<6X AC:>2E6D] %9:D ?D6CG2E:G6 252A:7@C>D =6>FCD 2?5 >2E6D @7 d_ E00dd >J2 70C E9:D?8D]2=E90F89 0E96C 86?6E:4 E6DED 2?5 8:G6? DF3 E92E H@F=5 36 DFAA@CE65 3; AA@CEF?;E:6D F?56 E90F89E E0 92G6 D:?46 :E 3C@<6 2H2J 7C@> 62DE6C 2?46DEC2= =6 p7C:42 46 A2CE @7 E96 DFA6C4@?E:?6?E v@?5 W@H6G6C[E96 2C6 E90F89E E0 92G6 0C:8:?E96:CWO`e_ >J2X[p?E2C4E:42 WOg_-`b_ >J2X[2?5 x?5:2 WOg r92??6=[2 566A 492??6=@36EH66? A@DD6D2E65 :? p7C:42 2C@F?5 ea E@ J \$66 2=D@i \$F37@DD:= =6>FC p 8:2?E =6>FC 92?8DE9 ed >J2[7C:42 2?5 1252 E92? E9640?EC0C0> 2 EC66 =:>3 3J 2== 70FC 766E =:<6 6IE:?4E =6DD E92? EH@ E9@FD2?5 J62CD 28@ {6>FCDJ2X=68D] p =:76 b`. %96:C 5:G6CD:EJ :? 3@E986?6E:492G6 252AE65 E@ 7:== >2?J 7@F?5 6=D6H96C6 :? E96 H@ C=5], a. **#2?8:?DA64**3692G:@C 2?5 >@CA90=08J W0FEH2C5 >2==6DE AC:>2E6[,ba. E0 E96 C646?E=J 6IE:?4E `e_- 8 :? D:K6 7C0> E96 b_ 8 =@4@>@E:@?[G2CJ:?8 =6G6=D @7 D04:2==6>FCa__ <8 Wbd_-cc_ =3X pC49260:?5C:D 70?E0J?0?E:[,bb, < 2?J D92C65 EC2:ED E92E >2<6 E96> DE2?5 @FE 7C@> 4@>A=6I:EJ[2?5 F?:BF6 252AE2E; 2?5 9:36C?2E @?X[D>2== 8C@FA D:K6D[=@H 6? C6DE2== @E96C AC:>2E6D],bd. s:776C6?E EJA6D @7 :89EX[**4E 3C665:?8** D62D0?D1, f., bc. 5FC:?8 46A92=:K2E:0? WC6=2E:G6 3C2:? @E96C C6=2E:G6=J 4@>>@? >2E6DtIEC6>6 C6D@FC46 =:>:E2E:@?D 8:G6? C:D6 @>A6E:E:@? 7@C >2E6D :?G@=G:?8 =@H =6G6=D @72AA62C2?46X EC2:EDi 76>2=6 =6>FCD_H6C6_7@F?5_2==___28@?:D>[_DF49_2D_DA6C>_4@>A6E:E:@?],be._q67@C6 J62CD 280[EØ E@ C:46 A255:6D 2?5 8C2DD=2?5 E9C@F89 D=2D9\2?5 24C@DD E96 :D=2?5],b \3FC? 28C:4F=EFC6 W<?@H? :D=2?5VD 2C62[Oe_[___ <>a 5:G6CD:EJ 2C6 2=D0 2E 0?46DB 64:A:E2E:0? 2?5 56DECF4E:0? 2?5 9F?E:?8 92G60e492C24E6CE96:C GIE:?4E:0? 07 2E =62DE C6DF=E65 :? 923 C646?E 2AAC@I:>2E6=J =6>FCD] [@DE @7 :@?D 2C6 =:<6=J E0 40?E:?F6],bh. &? E96J H6C6 >056C? =6>FC E:= C646?E=J[2?86[6IE 37@DD:= C6>2:?D[C6=2E:G6D F?=:<6 :96:C =:G:?8 D@=2E:@?] \$@>6 @7 E96:C 252AE2E: H6C6 D@>6 H6:89:?8 2D F?=:<6 E96 =:G:?8 7@C E92? E96 @44FA:65],b`. {2C86 A2CED @7 52J],c_. }@E @?=J H6C6 6I:DE @C 2C6 ?@H =67E F?DFAA@CE hg_D 2?5 92G6 8C62E=J :?4C62D65 @FC DE23:=:EJ 2?5 EFC>@:= @? |25282D42C 2?5:?8 @7 E96D6 AC:>2E6D] #6D62C49 724:=:E:6D =:<6 E96 sF @?46 @? AC:>2E6 J62 2C6 EC25:E:@?2 :K6D] 70C>D SC1983 2023 # 46?6 Wde E0 bc >J2X 0C !2=6046?6 286>6?E 07 E66E9[??0# P Systems; Inc. w=0c:D DA64:6D 2C6 pC492:ED D92C65 H:E9 AC@G:565 C6D62C49 :? :I @7 2?46DEC2= 492C24E6C:DE:4D 2D D42C],`e. p== >@56C? W=@C:D\=:<6X AC:>2E6D] %9. J AC:>2E6D 56DECF4E2CC2?86>6?E @7 E66E9[DA64:2=:K65 225 E96 AC6D6246 07 E96 DEC6AD 6G@=G65 26 DFAA@CE65 3J OBH6G6C[

Who Is J P Systems?

Our mission is to standardize, manage, and improve the interoperability and usability of data.

Services for clinical data quality improvement.

Automate reporting of immunization data to state registries exchange.

Automated reporting of COVID-19 Immunization Adverse Events to the FDA from fax transmissions to HL7 FHIR R4 RESTFul Message payloads.

#rror_mod = modifier_ob mirror object to mirror urror_mod.mirror_object peration == "MIRROR_X": irror_mod.use_x = True irror_mod.use_y = False operation == "MIRROR_Y irror_mod.use_x = False operation == "MIRROR_Z" irror_mod.use_x = False operation == "MIRROR_Z"

election at the end -ad _ob.select= 1 er_ob.select=1 ntext.scene.objects.acti "Selected" + str(modifie irror_ob.select = 0 bpy.context.selected_ob ta.objects[one.name].selected_ob

mint("please select exacting

OPERATOR CLASSES -----

wpes.Operator):
x mirror to the selecter
ject.mirror_mirror_x"
ror X"
ontext):
xt.active_object is not

J P Systems Core Capabilities

- HL7 Data Standards Consulting
- Clinical Terminologies
- Data Quality Improvement
- Health Informatics
- Health IT Strategy & Policy
- Clinical Data Models

J P Systems Solutioning

© 1983-2023 J P Systems, Inc.



Our Health Informatics Solutions

HL7 Standards Consulting: FHIR® & C-CDA	HL7 FHIR [®] Implementation Guides	Standard Clinical Terminologies	Data Standards Development
Data Quality Improvement	Data Management & Standardization	Requirements Analysis	Clinical Process Analysis
Interoperability Planning	Stakeholder Engagement	Business & Enterprise Architecture	Data Modeling
IT Strategy & Policy			

© 1983-2023 J P Systems, Inc.

J P Systems Data Standards Capabilities

Provide leadership for HL7 data standards work.

HL7 establishes standards for clinical data exchange.

JPSys monitors SDO activities to provide client updates, influence standards, and provide a channel to contribute both requirements and supporting resources to SDO initiatives.

We have worked on multiple FHIR[®] API pilot projects and Implementation Guides (IGs).


J P Systems SMEs have in depth backgrounds in clinical terminologies. Our expertise includes SNOMED CT, MED-RT, RxNorm, FHIR[®], CVX, Clinical and Lab LOINC, CPT, ICD9, ICD10, HCPCS, and UCUM.



Galen Mulrooney, FHL7



Jay Lyle, FHL7



J P Systems Clinical Terminology Services

Our clinical terminology consulting services at JPSYS cover many facets of healthcare and EHR systems. Terminology work includes terminology matching, terminology data models, development of terminology data standards, the curation of data sets and values, maintenance of data sets and many other services. If you have term mapping needs, we can help with LOINC and SNOMED CT maps.

We provide continued maintenance, mappings and support of:


- Medication Reference Terminology (MED-RT) and MED-RT Established Pharmacological Classes (EPCs)
- Joint Language Viewer (JLV) Patient Matching
- Clinical Health Data Repository (CHDR)
- VistA Lexicon
- New Term Rapid Turnaround (NTRT)
- National Problem List (NPSL)
- VA SNOMED-CT extension

Clinical Data Quality Improvement

Our clinical data quality teams include clinicians, informaticists, terminologists, standards experts, and data analysts. We find 3 types of errors, which we call "The 3 M's":

- 1. Missing Data
- 2. Miscoded Data
- 3. Misplaced Data





Data Quality Problem #1: Missing Data

PROBLEM: Patient information isn't available because it wasn't available for the receiving system to consume.

- Cause? Different coding systems, unreliable messaging system or practices, data never entered or transmitted.
- Commonly happens with chemistry lab results.

SOLUTION: Our interoperability planning teams include multidisciplined staff to address all aspects of clinical data exchange: Informatics, Enterprise Architecture, Data Standards, Data Quality, Business Analysis, IT Analysis, and Clinical Analysis.

#ccc}.gbrtl .gbm play:block;positio *top:-2px;*le \0/;left:-6p display:inlineock:lis

Data Quality Problem #2: Miscoded Data


PROBLEM: Even when coded, the same data can be coded differently.

- I might use a different coding system than you do. If so, we can't interoperate.
- This problem is exacerbated when data crosses international borders. For example, U.S. requires RxNorm, but Australia requires Australia Medicines Terminology (AMT).

Some coding systems are very complex. The casual user can easily choose an inappropriate code, or two organizations may use a different code for the same thing.

• e.g., LOINC has > 400 codes for "blood pressure"

SOLUTION: Standardize the local terms and use U.S. FHIR Core.



Data Quality Problem #3: Misplaced Data

PROBLEM: Data is often stored in the wrong field in a data exchange message.

• For example, users enter patient's temperature into the weight field. Therefore, everyone weighs about 98 lbs. A computer would not reject a value of 98, but a clinician would spot an incorrect trend.

SOLUTION: A team of clinicians reviews data and identify these anomalies. Then our stakeholder outreach team meets with the organization's data quality team to teach them how to engage users to address these issues. The organization's data quality team then meets with their clinicians to explain problems.

Health Informatics Solutions for Interoperability

Clinical Data Management in a Complex World

- Local data must be mapped to international standardized terminologies such as SNOMED CT, LOINC, RxNorm, etc. If data is not standardized, it cannot be transmitted and safely used outside the organization that created it.
- Although two organizations use the same EHR system, that does not mean they can interoperate. Because of this, we need "Implementation Guides," which are specifications on how to further constrain the standard when sending data.
- We create Detailed Clinical Models, which represent specific clinical concepts bound to standard terminologies. These are consumed by Al systems.
- A clinical data quality assessment reveals underlying problems and gaps and provides practical steps forward.

Clinical Data Models

After 15 years of collaboration with multiple subject matter experts,

we produced 39 clinical domains to create the

Federal Health Information Model

Adverse Event Reporting, Allergies Assessment (Mental Health and all other) Audiology and Speech Pathology **Behavioral Health, Blood Bank Care Plan, Clinical Decision Support Clinical Document, Clinical Observations Common Product, Consultation** Data Types, Dental **Detailed Clinical Models, Dietetics** Encounter, Enrollment, Eligibility and CoB Health Concern, Home-Based Primary Care Imaging, Immunization Laboratory and Lab Result Reporting Medication Administration, Oncology Registry **Orders, Patient Education Person Demographics**, **Pharmacy Prosthetics**, **Provider** Public Health Reporting **Security and Privacy** Social Work **Spinal Cord, Surgery** Vital Signs and Woman's Health

These 39 domains can be adapted by anyone to suit the needs of the organization.

See FHIMS.ORG

+

0

Client Success Story

J P Systems' Work

The Vermont Oxford Network (VON) with 1,200 member neonatal facilities world-wide, wanted to reduce the burden on their members' data abstractors and improve confidence in data quality by standardizing their data element definitions to enable automatic export from EHRs

We outlined a program for realizing VON's business objectives, starting with analysis & assessment of the value propositions for VON and its partners. We made a key discovery: the need for flexibility in tactics for associations between infants & mothers.

Exceeding Expectations

We worked closely with VON's neonatologists to confirm our understanding of VON's 129 data elements as we identified the appropriate tactics for representing them in current data standards for interoperability. When completed, the maps used over 20,000 concept codes from SNOMED CT, LOINC, ICD-10, UCUM, RxNorm, and HL7.

We coordinated validation of the clinical models by the member community and developed a technical roadmap options to plan a move to an HL7 FHIR[®] Questionnaire app for data collection. This FHIR app will pull data from each member facility's EHR in the form of FHIR resources, providing completed elements where possible and relevant data for manual completion where necessary. Any EHR that supports the ONC specifications for the 21st Century Cures Act can support this app.



Client Success Story

Client Need

Our Federal client's Health Information Exchange (HIE) network required analysis of massive amounts of incoming patient data from rapidly growing healthcare partners and providers. The new status quo had become unwieldy and new data quality issues arose with increasing frequency. Without the necessary data quality work on incoming clinical data, the value of their longitudinal patient record would diminish.

The incoming HIE query volume was exceptionally diverse. Their legacy system could not consume the new types of incoming HL7 message files available. Neither could they easily analyze or validate the new incoming messages.

J P Systems' Work

We analyzed their interoperability requirements, and we mapped their legacy systems to the fields in newer HL7 message standards so they could export and import new messages. This greatly expanded the types of standard HL7 messages which could be exchanged by their legacy systems. After testing, the new messages started flowing in and out.

Meeting and Exceeding Expectations

From a detailed examination of the incoming partner data, we traced root causes of errors coming into their legacy and replacement EHR systems. We worked diligently and diplomatically to educate the external exchange partners on how to improve their data quality.

We increased the interoperability of data in both quantity and quality and onboarded 22,000 new external data exchange partners. Now over 3 million patients and their external providers have access to more complete and accurate longitudinal patient records. Currently, we assess the network traffic to monitor bottlenecks and check for errors.



Contact Information

J P Systems, Inc. President, Jackie Mulrooney Jackie.Mulrooney@JPSys.com, 1 703 926-5539 Sales@JPSys.com JPSys.com

